

Prof. Dr. rer. nat. Kristian Folta-Schoofs  
AG Neurodidaktik (Biopsychologie, Neuropsychologie, Neurodidaktik)  
Institut für Psychologie  
Stiftung Universität Hildesheim

**foltak@uni-hildesheim.de**

Das „bewegte“ Gehirn: Warum körperliche Bewegungen den Geist trainieren! (Akademie-Forum Bildung der Akademie des Sports im LandesSportBund Niedersachsen e. V.: Bewegt leichter lernen – Ideen für Kita, Schule und Sportverein)

### Literaturliste zum Vortrag

- Abravanel, E., Sigafos, A. D. (1984). Exploring the presence of imitation during early infancy. *Child Development*, 55 (2), 381-392.
- Ahnert, J., Schneider, W., Bös, K. (2008). Entwicklung motorischer Fähigkeiten vom Vorschul- bis ins frühe Erwachsenenalter. In W. Schneider (Hrsg.). *Entwicklung von der Kindheit bis zum Erwachsenenalter* (pp. 23-42). Weinheim, Basel: Beltz.
- Ameri, A. (2001). Neue Nervenzellen in alten Gehirnen. Eine mögliche Rolle bei Reparatur- und Lernprozessen. *Extracta Psychiatrica/Neurologica*, 1/2, 12-16.
- Arentz, T., De Meirleir, K., Hollmann, W. (1986). Die Rolle der endogenen opioiden Peptide während Fahrradergometerarbeit. *Deutsche Zeitschrift für Sportmedizin*, 37, 210-218.
- Azevedo, F. A. C., Carvalho, L. R. B., Grinberg, L. T., Farfel, J. M., Ferretti, R. E. L., Leite, R. E. P., Jacob Filho, W., Lent, R., Herculano-Houzel, S. (2009). Equal numbers of neuronal and nonneuronal cells make the human brain an isometrically scaled-up primate brain. *Journal of Comparative Neurology*, 513, 532-541.
- Benraiss, A., Chmielnicki, E., Lerner, K., Roth, D., Goldman, S. A. (2001). Adenoviral brain-derived neurotrophic factor induces both neostriatal and olfactory neuronal recruitment from endogenous progenitor cells in the adult forebrain. *Journal of Neuroscience*, 21 (17), 6718-6731.
- Bherer, L., Erickson, K. I., Liu-Ambrose, T. (2013). A review of the effects of physical activity and exercise on cognitive and brain functions in older adults. *Journal of Aging Research, Volume 2013, Article ID 657508*, 1-8
- Black, J. E., Sirevaag, A. M., Greenough, W. T. (1987). Complex experience promotes capillary formation in young rat visual cortex. *Neuroscience Letters*, 83 (3), 351-355.
- Blondell, S. J., Hammersley-Mather, R., Veermann, L. (2014). Does physical activity prevent cognitive decline and dementia? A systematic review and meta-analysis of longitudinal studies. *BMC Public Health*, 14 (510), 1-12. doi: 10.1186/1471-2458-14-510.
- Bös, K. (2003). Motorische Leistungsfähigkeit von Kindern und Jugendlichen. In W. Schmidt, I. Hartmann-Tews, W. D. Brettschneider (Hrsg.), *Erster Deutscher Kinder- und Jugendsportbericht* (pp. 85-108). Schorndorf: Hofmann.
- Bös, K., Opper, E., Woll, A. (2002). *Fitness in der Grundschule. Förderung von körperlich-sportlicher Aktivität, Haltung und Fitness zum Zwecke der Gesundheitsförderung und Unfallverhütung*. Wiesbaden: Bundesarbeitsgemeinschaft für Haltungs- und Bewegungsförderung.
- Bopp, K. L., Verhaeghen, P. (2005). Aging and verbal memory span: A meta-analysis. *Journals of Gerontology, Series B, Psychological Sciences and Social Sciences*, 60 (5), 223-233.

- Brettschneider, W.-D., Naul, R. (2004). Study on young people's lifestyles and sedentariness and the role of sport in the context of education and as a means of restoring the balance – Final report. Paderborn: Verfügbar unter: [http://eose.org/wp-content/uploads/2014/03/Study-on-young-people-lifestyles\\_20041.pdf](http://eose.org/wp-content/uploads/2014/03/Study-on-young-people-lifestyles_20041.pdf) (Letzter Zugriff: 11. Mai 2017).
- Budde, H., Voelcker-Rehage, C., Petrabyk-Kendziorra, S., Ribeiro, P., Tidow, G. (2008). Acute coordinative exercise improves attentional performance in adolescents. *Neuroscience Letters*, 441, 219-223.
- Castelli, D. M., Hillman, C. H., Buck, S. M., Erwin, H. E. (2007). Physical fitness and academic achievement in third- and fifth-grade students. *Journal of Sport and Exercise Psychology*, 29, 239-252.
- Chang, Y. K., Labban, J. D., Gapin, J. I., Etnier, J. L. (2012). The effects of acute exercise on cognitive performance: A meta-analysis. *Brain Research*, 1453, 87-101.
- Chang, Y. K., Tsai, Y. J., Chen, T. T., Hung, T. M. (2013). The impacts of coordinative exercise on executive function in kindergarten children: An ERP study. *Experimental Brain Research*, 225, 187-196. doi: 10.1007/s00221-012-3360-9
- Chapman, S. B., Aslan, S., Spence, J. S., DeFina, L. F., Keebler, M. W., Didehbani, N., Lu, H. (2013). Shorter term aerobic exercise improves brain, cognition, and cardiovascular fitness in aging. *Frontiers in Aging Neuroscience*, 5, 75. doi: 10.3389/fnagi.2013.00075.
- Chen, A. G., Yan, J., Yin, H. C., Pan, C. Y., Chang, Y. K. (2014). Effects of acute aerobic exercise on multiple aspects of executive function in preadolescent children. *Psychology of Sport and Exercise*, 15, 627-636. doi: 10.1016/j.psychsport.2014.06.004.
- Chen, A-G., Zhu, L.-N., Yan, J., Yin, H.-C. (2016). Neural basis of working memory enhancement after acute aerobic exercise: fMRI study of preadolescent children. *Frontiers in Psychology*, 7, article 1804. doi: 10.3389/fpsyg.2016.01804
- Clifton, R., Morrongiello, B., Kulig, J., Dowd, J. (1981). Newborns' orientation towards sound: Possible implications for cortical development. *Child Development*, 52, 833-838.
- Colcombe, S., Kramer, A. (2003). Fitness effects on cognitive function of older adults: A meta-analytic study. *Psychological Science*, 14, 125-130.
- Colcombe, S., Erickson, K., Scaif, P., Kim, J., Prakash, R., McAuley, E. (2006). Aerobic exercise training increases brain volume in aging humans. *Journals of Gerontology, Series A, Biological Sciences and Medical Sciences*, 61, 1166-1170.
- Davis, C. L., Tomporowski, P. D., Boyle, C. A., Waller, J. L., Miller, P. H., Naglieri, J. A., Gregoski, M. (2007). Effects of aerobic exercise on overweight children's cognitive functioning: A randomized controlled trial. *Research Quarterly for Exercise and Sport*, 78 (5), 510-519.
- Davis, C. L., Tomporowski, P. D., McDowell, J. E., Austin, B. P., Miller, P. H., Yanasak, N. E., Allison, J. D., Naglieri, J. A. (2011). Exercise improves executive function and achievement and alters brain activation in overweight children: A randomized, controlled trial. *Health Psychology*, 30 (1), 91-98. doi: 10.1037/a0021766
- Deley, G., Kervio, G., Van Hoecke, J., Verges, B., Grassi, B., Casillas, J. (2007). Effects of a one-year exercise training program in adults over 70 years old: A study with a control group. *Aging Clinical and Experimental Research*, 19, 310-315.
- Devi, S. A. (2009). Aging brain: Prevention of oxidative stress by Vitamin E and exercise. *TheScientificWorldJournal*, 9, 366-372. doi: 10.1100/tsw.2009.46
- Diamond, A., Lee, K. (2011). Interventions shown to aid executive function development in children 4 to 12 years old. *Science*, 333 (6045), 959-964.
- Dordel, S. (2000). Veränderte Lebensbedingungen = Reduzierte motorische Leistungsfähigkeit. *Gesundheitssport und Sporttherapie*, 16, 209-216.
- Drechsler, R. (2007). Exekutive Funktionen. *Zeitschrift für Neuropsychologie*, 18, 233-248.
- Dwyer, T., Coonan, W., Leitch, D., Hetzel, B., Baghurst, R. (1983). An investigation of the effects of daily physical activity on the health of primary school students in South Australia. *International Journal of Epidemiologist*, 12 (3), 308-313.

- Eliot, L. (2002). *Was geht da drinnen vor? Die Gehirnentwicklung in den ersten fünf Lebensjahren*. Berlin: Berlin-Verlag.
- Erickson, K. I., Kramer, A. F. (2009). Aerobic exercise effects on cognitive and neural plasticity in older adults. *British Journal of Sports Medicine*, 43 (1), 22-24.
- Erickson, K. I., Voss, M. W., Prakash, R. S., Basak, C., Szabo, A., Chaddock, L., Kim, J. S., Heo, S., Alves, H., White, S. M., Wojcicki, T. R., Meiley, E., Vieira, V. J., Martin, S. A., Pence, B. D., Woods, J. A., McAuley, E., Kramer, A. F. (2011). Exercise training increases size of hippocampus and improves memory. *Proceedings of the National Academy of Sciences, USA*, 108 (7), 2017-3022.
- Eriksson, P. S., Perfilieva, E., Björk-Eriksson, T., Alborn, A. M., Nordborg, C., Peterson, D. A., Gage, F. H. (1998). Neurogenesis in the adult human hippocampus. *Nature Medicine*, 4 (11), 1313-1317.
- Fediuk, F. (2008). *Inklusion als bewegungspädagogische Aufgabe: Menschen mit und ohne Behinderungen gemeinsam im Sport*. Baltmannsweiler: Schneider.
- Fernández-Mayoralas, G., Rojo-Pérez, F., Martínez-Martín, P., Prieto-Flores, M.-E., Rodríguez-Blázquez, C., Martín-García, S., Rojo-Abuín, J.-M., Forjaz, M.-J. (2015). Active Ageing and quality of life: Factors associated with participation in leisure activities among institutionalized older adults, with and without dementia. *Aging and Mental Health*, 19 (11), 1031-1041.
- Field, J., Muir, D., Pilon, R., Sinclair, M., Dodwell, P. (1980). Infants' orientation to lateral sounds from birth to three months. *Child Development*, 51, 295-298.
- Frühbeis, C., Fröhlich, D., Kuo W. P., Amphornrat, J., Thielemann, S., Saab, A. S., Kirchhoff, F., Möbius, W., Goebels, S., Nave, K.-A., Schneider, A., Simons, M., Klugmann, M., Trotter, J., Krämer-Albers, E.-M. (2013). Neurotransmitter-triggered transfer of exosomes mediates oligodendrocyte-neuron communication. *PLoS Biology*, 11(7): e1001604. doi: 10.1371/journal.pbio.1001604
- Gold, A. (1995). *Gedächtnisleistungen im höheren Erwachsenenalter. Der Einfluss von Vorwissen und Aufgabenkomplexität*. Bern, Göttingen, Toronto, Seattle: Verlag Hans Huber.
- Graf, C., Dordel, S., Koch, B., Predel, H.-G. (2006). Bewegungsmangel und Übergewicht bei Kindern und Jugendlichen. *Deutsche Zeitschrift für Sportmedizin*, 57 (9), 220-225.
- Greenough, W. T., Chang, F. F. (1988). Plasticity of synapse structure and pattern in the cerebral cortex. In A. Peters, E. G. Jones (Eds.), *Cerebral Cortex* (pp. 391-440). New York: Plenum.
- Herholz, K., Buskies, B., Rist, M., Pawlik, G., Hollmann, W., Heiss, W. K. (1987). Regional cerebral blood flow in man at rest and during exercise. *Journal of Neurology*, 234, 9-13.
- Hillman, C. H., Erickson, K. I., Kramer, A. F. (2008). Be smart, exercise your heart: Exercise effects on brain and cognition. *Nature Reviews Neuroscience*, 9, 58-65.
- Hillman, C. H., Pontifex, M. B., Raine, L. B., Castelli, D. M., Hall, E. E., Kramer, A. F. (2009a). The effect of acute treadmill walking on cognitive control and academic achievement in preadolescent children. *Neuroscience*, 159, 1044-1054.
- Hillman, C. H. (2009b). Aerobic fitness and cognitive development: Event-related brain potential and task performance indices of executive control in preadolescent children. *Developmental Psychology*, 45, 114-129.
- Hötting, K., Röder, B. (2013). Beneficial effects of physical exercise on neuroplasticity and cognition. *Neuroscience and Biobehavioral Reviews*, 37, 2243-2257.
- Hofsten, C. von (1982). Eye-hand coordination in the newborn. *Developmental Psychology*, 18, 450-461.
- Hofsten, C. von (1984). Developmental changes in the organization of prereaching movements. *Developmental Psychology*, 20, 378-388.
- Hollmann, W., Strüder, H. (2004). Gehirngesundheit, -leistungsfähigkeit und körperliche Aktivität. *Deutsche Zeitschrift für Sportmedizin*, 54 (9), 265-266.
- Hollmann, W., Fischer, H. G., DeMeirleir, K., Herzog, H., Herholz, K., Feinendegen, L. E. (1994). The brain – regional cerebral blood flow, metabolism and psyche during ergometer exercise. In C. Bouchard, R. J. Shephard, T. Stephens (Eds.), *Physical*

- activity, fitness, and health: International proceedings and consensus statement.* Champaign, Ill: Human Kinetics.
- Hollmann, W., Strüder, H.-K., Rojas Vega, S., Tagarakis, C. V. M., Diehl, J. (2007). Gehirn – körperliche Aktivität und ihre Bedeutung für Gehirngesundheit und -leistungsfähigkeit. *Österreichisches Journal der Sportmedizin*, 4, 6-24.
- Huang, E. J., Reichardt, L. F. (2001). Neurotrophins: Roles in neuronal development and function. *Annual Review of Neuroscience*, 24, 677-736.
- Jensen, E. (1998). *Teaching with the brain in mind*. Alexandria, VA: Association for Supervision and Curriculum Development.
- Jernigan, T. L., Archibald, S. L., Fennema-Notestine, C. (2001). Effects of age on tissues and regions of the cerebrum and cerebellum. *Neurobiology of Aging*, 22, 581-594.
- Jones, T. A., Greenough, W. T. (1996). Ultrastructural evidence for increased contact between astrocytes and synapses in rats reared in a complex environment. *Neurobiology of Learning and Memory*, 65 (1), 48-56.
- Kamijo, K., Pontifex, M. B., O'Leary, K. C., Scudder, M. R., Wu, C.-T., Castelli, D. M., Hillmann, C. H. (2011). The effects of an afterschool physical activity program on working memory in preadolescent children. *Developmental Science*, 14 (5), 1046-1058.
- Kattenstroth, J. C., Kolankowska, I., Kalisch, T., Dinse, H. R. (2010). Superior sensory, motor, and cognitive performance in elderly individuals with multiyear dancing activities. *Frontiers in Aging Neuroscience*, 2, 1-9.
- Kaup, B., Ulrich, R. (2017). Die Beziehung zwischen sprachlicher und nicht-sprachlicher Kognition. Die Bedeutung von Repräsentationsformaten. *Psychologische Rundschau*, 68, 115-130.
- Kimura, K., Hozumi, N. (2012). Investigating the acute effect of an aerobic dance exercise program on neurocognitive function in the elderly. *Psychology of Sport and Exercise*, 13, 623-629.
- Krämer-Albers, E.-M., Frühbeis, C. (2013). Lieferung auf Abruf. Exosomen als „Care“-Pakete von Gliazellen für gestresste Neurone. *Neuroforum*, 4/13, 146-152.
- Kramer, A. F., Erickson, K. I. (2007). Capitalizing on cortical plasticity: Influence of physical activity on cognition and brain function. *Trends in Cognitive Sciences*, 1, 342-358.
- Kramer, A. F., Hahn, S., Cohen, N. J., Banisch, M. T., McAuley, E., Harrison, C. R. (1999). Ageing, fitness and neurocognitive function. *Nature*, 400, 418-419.
- Kubesch, S. (2002). Sportunterricht. Training für Körper und Geist. *Nervenheilkunde*, 21, 487-490.
- Kubesch, S., Walk, L., Spitzer, M., Kammer, T., Lainburg, A., Heim, R., Hille, K. (2009). A 30-Minute Physical Education Program Improves Students' Executive Attention. *Mind, Brain, and Education*, 3, 235-242.
- Lewis, S. (2013). Glia: Transporting cargo from A to B. *Nature Reviews Neuroscience*, 14(9), 589.
- Lin, S. C., Bergles, D. E. (2004). Synaptic signaling between GABAergic interneurons and oligodendrocyte precursor cells in the hippocampus. *Nature Neuroscience*, 7 (1), 24-32.
- Maher, C., Ferguson, M., Vandelanotte, C., Plotnikoff, R., De Bourdeaudhuij, I., Thomas, S., Nelson-Field, K., Olds, T. (2015). A web-based, social networking physical activity intervention for insufficiently active adults delivered via facebook app: Randomized controlled trial. *Journal of Medical Internet Research*, 17 (7): e174. doi: 10.2196/jmir.4086
- Markham, J. A., Greenough, W. T. (2004). Experience-driven brain plasticity: Beyond the synapse. *Neuron Glia Biology*, 1 (4), 351-363.
- Mayer, K. M., Yildiz, I. B., Macedonia, M., von Kriegstein, K. (2015). Visual and motor cortices differentially support the translation of foreign language words, *Current Biology*, 25 (4), 530-535.
- Mayoralas, G. F., Rojo-Pérez, F., Martínez-Martín, P., Prieto-Flores, M-E., Rodríguez-Blázquez, C., Martín-García, S., Rojo-Abuín, J.-M., Forjaz, M.-J. (2015). Active ageing and quality of life: Factors associated with participation in leisure activities

- among institutionalized older adults, with and without dementia. *Aging and Mental Health*, 19 (11), 1031-1041
- McTigue, D. M., Tripathi, R. B. (2008). The life, death, and replacement of oligodendrocytes in the adult CNS. *Journal of Neurochemistry*, 107 (1), 1-19.
- Meeusen, R., De Meirleir, K. (1995). Exercise and brain neurotransmission. *Sports Medicine*, 20, 160-188.
- Meltzoff, A. N., Kuhl, P. K. (1994). Faces and speech: Intermodal processing of biologically-relevant signals in infants and adults. In D. J. Lewkowicz, R. Lickliter (Eds.), *The Development of Intersensory Perception: Comparative Perspectives* (pp. 335-369). Hillsdale, NJ: Erlbaum.
- Meltzoff, A. N., Moore, M. K. (1994). Imitation, memory, and the representation of persons. *Infant Behavior and Development*, 17, 83-99.
- Melzer, J., Rißling, J.-K., Petermann, F. (2016). Kognitive Kompetenzen und Sprachentwicklung bei Kindern im Alter zwischen vier und fünf Jahren. *Zeitschrift für Neuropsychologie*, 27 (1), 37-51.
- Morrison, B. M., Lee, Y., Rothstein, J. D. (2013). Oligodendroglia: Metabolic supporters of axons. *Trends in Cell Biology*, 23 (12), 644-651. doi: 10.1016/j.tcb.2013.07.007
- Nave, K. A. (2010). Myelination and support of axonal integrity by glia. *Nature*, 468 (7321), 244-252.
- Pakkenberg, B., Gundersen, H. J. (1997). Neocortical neuron number in humans: Effect of sex and age. *Journal of Comparative Neurology*, 384 (2), 312-320.
- Pontifex, M. B., Hillman, C. H., Fernhall, B., Thompson, K. M., Valentini, T. A. (2009). The effect of acute aerobic and resistance exercise on working memory. *Medicine and Science in Sports and Exercise*, 41, 927-934.
- Raczek, J. (2002). Entwicklungsveränderungen der motorischen Leistungsfähigkeit der Schuljugend in drei Jahrzehnten (1965-1995). *Sportwissenschaft*, 32 (2), 2010-2016.
- Ratey, J., Hagermann, E. (2009). Superfaktor Bewegung. Freiburg: VAK.
- Rehfeld, K., Hökelmann, A., Lehmann, W., Blaser, P. (2014). Auswirkungen einer Tanz- und Kraft-Ausdauer-Intervention auf kognitive Fähigkeiten älterer Menschen. *Zeitschrift für Neuropsychologie*, 25 (2), 99-108.
- Reisberg, B., Saeed, M. U. (2004). *Alzheimer's disease*. New York: Norton.
- Rowe, J., Kahn, R. (1997). Successful aging. *The Gerontologist*, 37, 433-440.
- Rusch, H., Irrgang, W. (2002). Aufschwung oder Abschwung? Verändert sich die körperliche Leistungsfähigkeit von Kindern und Jugendlichen oder nicht? *Haltung und Bewegung*, 22 (2), 5-10.
- Sallis, J. F., McKenzie, T. L., Kolody, B., Lewis, M., Marshall, S., Rosengard, P. (1999). Effects of health-related physical education on academic achievement: Project SPARK. *Research Quarterly for Exercise and Sport*, 70 (2), 127-134.
- Se-Hong, K., Minjeong, K., Yu-Bae, A., Hyun-Kook, L., Sung-Goo, K., Jung-Hyoun, C. (2011). Effects of dance exercise on cognitive function in elderly patients with metabolic syndrome: A pilot study. *Journal of Sports Science and Medicine*, 10, 671-678.
- Shephard, R. J. (1997). Curricular physical activity and academic performance. *Pediatric Exercise Science*, 9, 113-126.
- Shephard, R. J., JeQuier, J., LaVallee, H., LeBarre, R., Rajic, M. (1980). Habitual physical activity: Effects of sex, milieu, season, and required activity. *Journal of Sports Medicine*, 20, 55-66.
- Shephard, R. J., Volle, M., LaVallee, H., LaBarre, R., JeQuier, J. C., Rajic, M. (1984). Required physical activity and academic grades: A controlled study. In J. Ilmarinen, I. Valimaki (Eds.), *Children and Sport* (pp. 58-63). Berlin: Springer.
- Shephard, R. J., LaVallee, H., Volle, M., LaBarre, R., Beaucage, C. (1994). Academic skills and required physical education: The Trois Rivières experience. *CAHPER Research Supplement*, 1 (1), 1-12.
- Spitzer, M. (1996). *Geist im Netz. Modelle für Lernen, Denken und Handeln*. Heidelberg: Spektrum.

- Stroth, S., Kubesch, S., Dieterle, K., Ruchow, M., Heim, R., Kiefer, M. (2009). Physical fitness, but not acute exercise modulates event-related potential indices for executive control in healthy adolescents. *Brain Research*, 1269, 114-124.
- Strüder, H. K., Hollmann, W., Platen, P., Wöstmann, R., Ferrauti, A., Weber, K. (1997). Effect of exercise intensity on free tryptophan to branched-chain amino acids ratio and plasma prolactin during endurance exercise. *Canadian Journal of Applied Physiology*, 22, 280-291.
- Sumic, A., Michael, Y., Carlson, N., Howieson, D., Kye, J. (2007). Physical activity and the risk of dementia in oldest old. *Journal of Aging and Health*, 19, 242-259.
- Swaab, D. F., Dubelaar, E. J., G., Scherder, E. J., A., van Someren, E. J. W., Verwer, R. W. H. (2003). Therapeutic strategies for Alzheimer disease focus on neuronal reactivation of metabolically impaired neurons. *Alzheimer Disease and Associated Disorders*, 17, 114-122.
- Tees, R. C. (1994). Early stimulation history, the cortex, and intersensory functioning in infrahumans: Space and time. In D. J. Lewkowicz, R. Lickliter (Eds.), *The development of intersensory perception: Comparative perspectives* (pp. 107-131). Hillsdale, NJ: Lawrence Erlbaum Associates.
- van Praag, H., Shubert, T., Zhao, C., Gage, F. H. (2005). Exercise enhances learning and hippocampal neurogenesis in aged mice. *Journal of Neuroscience*, 25 (38), 8680-8685.
- Verburgh, L., Königs, M., Scherder, E. J., Oosterlaan, J. (2013). Physical exercise and executive functions in preadolescent children, adolescents and young adults: A meta-analysis. *British Journal of Sports Medicine*, 48, 973-979.
- Voelcker-Rehage, C., Godde, B., Staudinger, U. (2010). Physical and motor fitness are both related to cognition in old age. *European Journal of Neuroscience*, 31, 167-176.
- Voss, M. W., Vivar, C., Kramer, A.F., van Praag, H. (2013). Bridging animal and human models of exercise-induced brain plasticity. *Trends in Cognitive Sciences*, 17 (10), 525-544.
- Walk, L. (2008). *Über den Einfluss oraler Kreationen auf die kognitiven Fähigkeiten des menschlichen Gehirns*. Diplomarbeit. Köln (Deutsche Sporthochschule).
- Walk, L. (2011). Bewegung formt das Gehirn. *DIE Zeitschrift für Erwachsenenbildung*, 2011/1, 27-29.
- Walter, U., Schwartz, F. W. (2001). Gesundheit der Älteren und Potenziale der Prävention und Gesundheitsförderung. In Deutsches Zentrum für Altersfragen (Hrsg.), *Expertisen zum dritten Altenbericht. Personale, gesundheitliche und Umweltressourcen im Alter* (pp. 153-261). Leverkusen: Leske & Budrich.
- Wischenka, D. M., Marquez, C., Felsted, K. F. (2016). Benefits of physical activity on cognitive functioning in older adults. In B. Resnick (Ed.), *Annual Review of Gerontology and Geriatrics*, 36: *Optimizing Physical Activity and Function Across All Settings*. New York: Springer.
- Zimmer, R. (1993). Die Bedeutung der Bewegungsumwelt für die motorische Entwicklung von Kindern. *Kindheit und Entwicklung*, 2 (6), 222-228.